

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	230	((parity) same ((determin\$3 or calculat\$3) with ((block or sector)))) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:00
L2	23	((parity) same ((determin\$3 or calculat\$3) with ((block or sector) with (first and second)))) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:06
L3	1	(sata with ata with eide) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:07
L4	1	(sata same ata same eide same scsi) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:08
L5	888846	(raid or "r.a.i.d." or (redundant array of (inexpensive or independant) adj (disc or disk)) or array\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:08
L6	3	(sata same ata same eide same scsi) and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:28
L7	0	(combine) near5 (single data access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:29
L8	16	(combine) with (single access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:29

S1	110	(raid or (redundant array of inexpensive (disc or disk))) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 15:10
S2	5022	(711/114 or 711/154 or 711/112). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 15:15
S3	37	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 15:18
S4	11739	(raid or "r.a.i.d." or (redundant array of (inexpensive or independant) adj (disc or disk)) or array\$3) near2 (controller or driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/23 16:08
S5	973	S4 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 15:27
S6	110	(711/114 and 711/154).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 15:28
S7	3	S1 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 15:28
S8	49	S6 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 10:18

S9	2	"20050120170".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 12:05
S10	5925037	(driver or object or class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 12:06
S11	5029	(711/114 or 711/154 or 711/112). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 12:06
S12	3606	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 12:12
S13	9252137	(interfac\$3 or connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 12:17
S14	368	(S10 near3 S13) and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 12:20
S15	4123301	(disk or disc or dasd or drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 12:19
S16	77	((S10 near3 S13) near4 S15) and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 13:14

S17	6057146	(multiple or variable or different or diverse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 13:24
S18	50999	S17 near S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 13:24
S19	1138	(S17 near S15) and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 13:25
S20	42	S19 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 13:26
S21	10389	(scsi and (ide or eide or ata or sata)) or (ide and (scsi or eide or ata or sata)) or (eide and (ide or scsi or ata or sata)) or (ata and (ide or eide or scsi or sata)) or (sata and (ide or eide or ata or scsi))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 13:30
S22	15	S21 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 13:31
S23	5111	(scsi with (ide or eide or ata or sata)) or (ide with (scsi or eide or ata or sata)) or (eide with (ide or scsi or ata or sata)) or (ata with (ide or eide or scsi or sata)) or (sata with (ide or eide or ata or scsi))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 13:31
S24	14	S23 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 15:46

S25	599	(universal near3 (raid or "r.a.i.d." or (redundant array of (inexpensive or independant) adj (disc or disk)) or array\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 16:48
S26	4	S25 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 15:54
S27	7	S25 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 15:55
S28	3	S27 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 15:57
S29	387	S25 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 15:58
S30	7	S25 and (driver near3 S15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 16:26
S31	6	S30 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 16:02
S32	11	(universal near3 (raid or "r.a.i.d." or (redundant array of (inexpensive or independant) adj (disc or disk))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 16:25

S33	6	S32 not (S30 or S27)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 16:26
S34	4	(universal near (raid or "r.a.i.d." or (redundant array of (inexpensive or independant) adj (disc or disk))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 16:48
S35	158	(universal or generic) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 17:29
S36	62	S35 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 17:29
S37	13	((universal or generic) with driver) and 711/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 17:51
S38	49	S36 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 17:52